

Verktøyrens saks/kam Disicide konsentrat 1,5 liter

Bruksanvisning:

Det anbefales å bruke engangshansker og bruke DISICIDE-krukker for å utføre sterilisering. For å fremstille blandingen, bland DISICIDE konsentrat med vann i forholdet:

Bland 1 målebeger 30ml. pr 1000ml. vann.

En flaske 1,5 liter (1500 ml)

Målebeger 30 ml

Dvs: 1500 delt på 30 ml= 50 liter ferdigblandet.

Verktøyet blir sterilisert ved metoden for full neddykking i en ferdig blandet løsning fra 5 til 30 minutter.

Plasser saks / instrumenter / barberblad / kammer / børster osv. I blandingen i minst 5 minutter (maks 30 minutter).

Etter å ha fjernet instrumentet, skyll det grundig med vann og tørk det, må eventuelt smøres med olje av og til.

Oppbevar verktøyene i en lufttett beholder til du er klar til å bruke dem igjen.

Når blandingen kommer i kontakt med instrumenter, må du endre den maks. 24 timer senere. (altså byttes daglig for å opprettholde virkingen)

Kan tømmes i vask/toalett.

Miljøvennlig biocidholdig produkt som er trygt for brukeren

- Vannbasert, alkohol- og løsemiddelfri konsentrat for forsiktig desinfisering av verktøy og tilbehør for Frisør, Spa, Tatovering, Dyrepleie, Hår- og skjønnhetssalonger, Neglebarer, Hotell og treningssentre
- Det er en enkel og kostnadseffektiv måte for den profesjonelle frisør å desinfisere kam, børster, saks og mer.
- Påvist effektiv mot bakterier og virus i samsvar med EUs forskrifter EN 14561 og EN 14562
- Desinfeksjonsmiddel, soppdrepende middel og virucid. Konsentratet ødelegger effektivt et bredt spekter av mikroorganismer og er bakteriedrepende (inkl. Staphylococcus aureus, pseudomonads, Enterococcus hirae, mycobacterium tuberculosis, E.coli, etc.), soppdrepende (inkl. Candida, Trichophyton, etc.), et antibakteriedrepende middel eiendom, inkludert soppdrepende midler (inkludert sopp Candida, Trichophyton, etc.)
- Blandingsforhold: 1:32 | 30 ml Disicide Konsentrat til 1000 ml vann

**hair
store^{no}**

ALT TIL FRISØRSALONGEN

www.hairstore.no | telefon 33 14 04 80

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING**1.1. Product identifier**

Trade name: Disicide® Concentrate
600 ml Art.nr. 035001 1500 ml Art.nr. 035002

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture: Biocides

Uses advised against: At this moment we have not identified any uses advised against

1.3 Details of the supplier of the safety data sheet

Manufacturer Terapima Svenska AB
Smidesvägen 13
SE – 24534 Staffanstorp, Sweden
+46 46 238495
info@disicide.com

1.4 Emergency telephone number Please call your local emergency number

2. HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008

Hazard class	Hazard category	Target Organs	Hazard statements	
Skin corrosion	Category 1B	---	H314	
Specific target organ toxicity – single exposure	Category 3		Respiratory system	H335
Acute aquatic toxicity	Category 1	---	H400	
Chronic aquatic toxicity	Category 2	---	H411	

For the full text of the H-Statements mentioned in this Section, see Section 16.

Most important adverse effects

Human Health

Chronic exposure damages the brain and the central nervous system.

Inhalation may cause the following effects: May cause respiratory irritation.

Skin contact may cause the following effects: Burns with pain, redness and wounds.

Eye contact may cause the following effects: Splashes in the eyes may cause painful burns, which may result in permanent damage to the eyes.

Physical and chemical hazards

Strong heating may produce combustible vapours which can form explosive mixture with air.

To be stored as flammable liquid.

Potential environmental effects

Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard symbols:



Signal word: Danger

Hazard statements: H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water/shower.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Hazardous components which must be listed on the label:

- 2-aminoethanol • Didecyldimethyl ammonium chloride • Potassium carbonate • propan-2-ol

2.3. Other hazards

For Results of PBT and vPvB assessment see section 12.5.

Contains organic solvents. To be stored as flammable liquid.

3. COMPOSITION/INFORMATION ON INGREDIENTS



3.1 Mixtures

Hazardous components	Amount [%]	Classification	
		(REGULATION (EC) No 1272/2008)	
		Hazard class / Hazard category	Hazard statements
-----2-			
aminoethanol			
Index-No: 603-030-00-8	>= 5 - < 10	Acute Tox.4	H332
CAS-No: 141-43-5		Acute Tox.4	H312
EC-No: 205-483-3		Acute Tox.4	H302
EU REACH: 01-2119486455-28-xxxx		Skin Corr.1B	H314
Reg. No: -		STOT SE3	H335
		Aquatic Chronic3	H412
Didecyldimethylammonium chloride			
Index-No: 612-131-00-6	>= 5 - < 10	Acute Tox.3	H301
CAS-No: 7173-51-5		Skin Corr.1B	H314

EC-No: 230-525-2	Aquatic Chronic1	H410
	Aquatic Acute1	H400

Alcohols C16-18, ethoxylated

CAS-No: 68439-49-6	>= 3 - < 10	Eye Irrit.2	H319
--------------------	-------------	-------------	------

EC-No: 5002128

Propan-2-ol

Index-No: 603-117-00-0	>= 1 - < 3	Flam. Liq.2	H225
------------------------	------------	-------------	------

CAS-No. : 67-63-0	Eye Irrit.2	H319
-------------------	-------------	------

EC-No. : 200-661-7	STOT SE3	H336
--------------------	----------	------

EU REACH: 01-2119457558-25-xxxx

Reg. No. :

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES



4.1. Description of first aid measures

If inhaled: Move to fresh air. Consult a physician.

In case of skin contact: Wash off immediately with soap and plenty of water.

Remove contaminated clothing and shoes. Call a physician immediately.

In case of eye contact: Rinse immediately with plenty of water, also under the eyelids.

Remove contact lenses. Continue rinsing eyes during transport to hospital.

If swallowed: Call a physician immediately. Rinse mouth with water. Drink 1 or 2 glasses of water.

DO NOT induce vomiting unless directed to do so by a physician or poison control center.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: See Section 11 for more detailed information on health effects and symptoms.

Effects: See Section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat symptomatically. No further information available.

5. FIRE-FIGHTING MEASURES



5.1. Extinguishing media

Suitable extinguishing media: Water spray, foam, dry powder or CO₂.

Unsuitable extinguishing media: High volume water jet

5.2. Special hazards arising from the substance or mixture

Specific hazards during firefighting: Heating or fire can release toxic gas.

5.3. Advice for firefighters

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Wear personal protective equipment. Choose protective equipment according to size of fire.

Further advice: No further information available.

6. ACCIDENTAL RELEASE MEASURES



6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions:

Wear personal protective equipment. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust).

6.2. Environmental precautions

Should not be released into the environment. Local authorities should be advised if significant spillages cannot be contained.

6.3. Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4. Reference to other sections

For personal protection see section 8.

7. HANDLING AND STORAGE



7.1. Precautions for safe handling

Advice on safe handling:

Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures:

Smoking, eating and drinking should be prohibited in the application area. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and at the end of workday. Keep away from food, drink and animal feedingstuffs.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers: Storage must follow the regulations for flammable liquids.

7.3. Specific end use(s)

Specific use(s): No information available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION



8.1 Control Parameters

Component: 2-aminoethanol **CAS-No. 141-43-5** **Other Occupational Exposure Limit Values**

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, Time Weighted Average (TWA): 1 ppm, 2,5 mg/m³ Indicative

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, Short Term Exposure Limit (STEL): 3 ppm, 7,6 mg/m³ Indicative

8.2. Exposure controls

Personal protective equipment

Respiratory protection

Advice: Required, if exposure limit is exceeded (e.g. OEL). Recommended Filter type:A

Hand protection

Advice: Wear suitable gloves.

Eye protection

Advice: Tightly fitting safety goggles

Skin and body protection

Advice: Complete suit protecting against chemicals

9. PHYSICAL AND CHEMICAL PROPERTIES



9.1. Information on basic physical and chemical properties

Form:	Liquid
Colour:	Blue
Odour:	No data available
Odour Threshold:	No data available
pH:	12,9 (20 °C)
Freezing point:	No data available
Boiling point:	No data available
Flash point:	> 65 °C
Evaporation rate:	No data available
Flammability (solid, gas):	No data available
Upper explosion limit:	No data available
Lower explosion limit:	No data available
Vapour pressure:	23 hPa (20 °C)
Relative vapour density:	No data available
Density:	1,06 g/cm ³ (20 °C)
Water solubility:	Completely soluble
Partition coefficient:	N-octanol/water: no data available
Auto-ignition temperature:	No data available
Thermal decomposition:	No data available
Viscosity, dynamic:	30 mPa.s (20 °C)

Explosivity: The product does not present an explosion hazard.

Oxidizing properties: No data available

9.2. Other information

No further information available.

10. STABILITY AND REACTIVITY



10.1. Reactivity

Advice: Stable at normal ambient temperature and pressure.

10.2. Chemical stability

Advice: No decomposition if stored and applied as directed. No further information available.

10.3. Possibility of hazardous reactions

Hazardous reactions: No information available.

10.4. Conditions to avoid

Conditions to avoid: Protect from frost, heat and sunlight.

10.5. Incompatible materials

Materials to avoid: No information available.

10.6. Hazardous decomposition products

Hazardous decomposition products No information available.

11. TOXICOLOGICAL INFORMATION



11.1. Information on toxicological effects

Data for the product **Acute toxicity**

Oral

Acute toxicity estimate: > 2000 mg/kg) (Calculation method)

Inhalation

Acute toxicity estimate: > 20 mg/l (4 h; vapour) (Calculation method)

Dermal

Acute toxicity estimate: > 2000 mg/kg) (Calculation method)

Irritation**Skin**

Result: May cause burns with pain, redness and wounds.

Eyes

Result: Splash in the eyes may cause painful burns, and may result in permanent damage to the eyes.

Sensitisation

No data available

CMR effects**CMR Properties**

Carcinogenicity: No data available

Mutagenicity: No data available

Reproductive toxicity: No data available

Specific Target Organ Toxicity

Single exposure No data available

Repeated exposure No data available

Other toxic properties

Repeated dose toxicity No data available

Aspiration hazard No data available

Further information

Experience with human exposure Contains organic solvents. Chronic exposure damages the brain and the central nervous system.

Component: *didecyldimethylammonium chloride CAS-No. 7173-51-5*

Acute toxicity

Oral

LD50 238 mg/kg (Rat) (OECD Test Guideline 401)

Dermal

LD50 3342 mg/kg (Rabbit)

Component: *2-aminoethanol CAS-No. 141-43-5*

Acute toxicity

Oral

LD50 Oral 1089 mg/kg (Rat) (OECD Test Guideline 401) Cause serious burns with severe pains, vomiting, pains in the stomach, possibly chock and damaged kidneys. The burn may occur even if only small amounts have been swallowed.

Inhalation

LC50 > 1,3 mg/l (Rat; 6 h; vapour) Harmful by inhalation. Inhalation may cause pain to nose and throat, cough, headache and poorly.

12. ECOLOGICAL INFORMATION	<input type="checkbox"/>
-----------------------------------	--------------------------



12.1. Toxicity

Component: *didecyldimethylammonium chloride CAS-No. 7173-51-5*

Acute toxicity

Fish

LC50 0,19 mg/l (Pimephales promelas (fathead minnow); 96 h) (US-EPA)

Toxicity to daphnia and other aquatic invertebrates

EC50 0,062 mg/l (Daphnia magna; 48 h) (Immobilization; EPA-FIFRA)

Algae

ErC50 0,026 mg/l (Pseudokirchneriella subcapitata (green algae); 96 h)
(Growth inhibition; OECD Test Guideline 201)

Bacteria

EC50 11 mg/l (activated sludge; 3 h) (Respiration inhibition; OECD Test Guideline 209)

Chronic toxicity

Fish

NOEC 0,032 mg/l (Danio rerio (zebra fish); 34 d) (OECD Test Guideline 210)

Aquatic invertebrates

NOEC 0,010 mg/l (Daphnia magna (Water flea); 21 d)
(Reproductive toxicity; OECD Test Guideline 211)

M-Factor

M-Factor (Acute Aquat. Tox.) 10

M-Factor (Chron. Aquat. Tox.) 1

Component: 2-aminoethanol

CAS-No. 141-43-5

Acute toxicity

Fish

LC50 170 mg/l (Carassius auratus (goldfish); 96 h) (static test; APHA 1971)

LC50 349 mg/l (Cyprinus carpio (Carp); 96 h) (semi-static test;
Tested according to Directive 92/69/EEC.)

Toxicity to daphnia and other aquatic invertebrates

EC50 65 mg/l (Daphnia magna; 48 h)

Algae

EC50 22 mg/l (Scenedesmus subspicatus; 72 h) (Growth inhibition;
Tested according to Directive 92/69/EEC.)

EC50 2,5 mg/l (Scenedesmus capricornutum (fresh water algae); 72 h)
(Growth inhibition; OECD Test Guideline 201)

Bacteria

EC20 > 1000 mg/l (activated sludge; 0,5 h) (OECD Test Guideline 209)

EC50 110 mg/l (Pseudomonas putida; 16 h) (DIN 38412)

EC50 > 1000 mg/l (activated sludge; 3 h) (OECD Test Guideline 209)

Chronic toxicity

Fish

NOEC 1,2 mg/l (Oryzias latipes (Orange-red killifish); 30 d)

Aquatic invertebrates

NOEC 0,85 mg/l (Daphnia magna (Water flea); 21 d) (OECD Test Guideline 211)

12.2 Persistence and degradability

Inhalation

Result No data available

Component: didecyldimethyl ammonium chloride CAS-No. 7173-51-5

Persistence and degradability

Biodegradability

Result 72 % (Exposure Time: 28 d)(OECD Test Guideline 301B)Readily biodegradable.

Result 91 % (Exposure Time: 24 - 70 d)(OECD 303 A)

Component: 2-aminoethanol CAS-No. 141-43-5

Persistence and degradability

Biodegradability

Result > 90 % (aerobic; activated sludge; Exposure Time: 21 d)(OECD Test Guideline 301A)
Readily biodegradable.

12.3 Bioaccumulative potential

Component: didecyldimethyl ammonium chloride CAS-No. 7173-51-5

Bioaccumulation

Result BCF: 2,1 Bioaccumulation is not expected.

Component: 2-aminoethanol CAS-No. 141-43-5

Bioaccumulation

Result log Kow -1,91
Bioaccumulation is not expected.

12.4. Mobility in soil

Component: 2-aminoethanol CAS-No. 141-43-5

Mobility The substance will not evaporate into the atmosphere from the water surface.
Not expected to adsorb on soil.

12.5. Results of PBT and vPvB assessment

Data for the product

Results of PBT and vPvB assessment

Result This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6. Other adverse effects

Data for the product

Additional ecological information

Result Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS



13.1. Waste treatment methods

(Labels; EmS)

8; F-A, S-B

14.4. Packaging group

ADR III

RID III

IMDG III

14.5. Environmental hazards

Environmentally hazardous according to ADR Yes

Environmentally hazardous according to RID Yes

Marine Pollutant according to IMDG-Code Yes

14.6. Special precautions for user Not applicable.

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Data for the product

Pregnant and nursing women may not be exposed to the product. Take in consideration the national regulation. As a principal rule, persons under 18 years are not allowed to work with this substance. Only persons, who are thoroughly instructed in the dangerous properties and the necessary safety precautions of the substance, are allowed to work with it.

15.2. Chemical safety assessment

No data available

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations and Acronyms

BCF	Bioconcentration factor
BOD	Biochemical oxygen demand
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, mutagenic or toxic to reproduction
COD	Chemical oxygen demand
DNEL	Derived no-effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
LC50	Median lethal concentration
LOAEC	Lowest observed adverse effect concentration
LOAEL	Lowest observed adverse effect level
LOEL	Lowest observed effect level
NLP	No-longer polymer
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration

NOEL	No observed effect level
OECD	Organisation for Economic Cooperation and Development
OEL	Occupational exposure limit
PBT	Persistent, bioaccumulative and toxic
PNEC	Predicted no-effect concentration
STOT	Specific target organ toxicity
SVHC	Substance of very high concern
UVCB	Substance of unknown or variable composition, complex reaction products or biological materials
vPvB	Very persistent and very bioaccumulative

Key literature references and sources for data

Supplier information and data from the "Database of registered substances" of the European Chemicals Agency (ECHA) were used to create this safety data sheet.

Methods used for product classification

The classification for human health, physical and chemical hazards and environmental hazards were derived from a combination of calculation methods and if available test data.

Hints for trainings

The workers have to be trained regularly on the safe handling of the products based on the information provided in the Safety Data Sheet and the local conditions of the workplace. National regulations for the training of workers in the handling of hazardous materials must be adhered to.

Indicates updated section.

The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship. The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Mixing ratio: 1:32

30 ml Disicide Concentrate to 1000 ml water.